

**JUSTIFICATION AND APPROVAL  
FOR OTHER THAN FULL AND OPEN COMPETITION  
(Actions under \$150K for Simplified Acquisition Procedures)**

**1. Agency/Contracting Activity:** Mission & Installation Contracting Command – Fort Campbell, 2172 13 ½ Street, Fort Campbell, KY 42223-5355.

**2. Description of Action:**

Nature:  New Requirement  Follow-on Requirement  
 Mod to Existing Purchase Order/Contract Number \_\_\_\_\_

Pricing:  Firm-Fixed Price  Time & Materials  Cost

Funds:  OMA  Other Funds: \_\_\_\_\_

Name of Proposed Contractor(s): **Power Lift**  
Street Address: **P.O. Box 348**  
City, State, Zip: **Jefferson, IA 50129**  
Phone: **800-872-1543**

**3. Description of Services or Supplies:**

The total estimated value of the proposed action is \_\_\_\_\_

The requirement is for 1 EA, Pro Plate Load Chest Press #PLCP, 1 EA, Free Standing Combo Pulley Unit #FSCP, 1 EA, 1 EA, Pro Plate Load 4-way neck #PL4WN, 1 EA, Pro Plate Load Seated Uni/Bi Lateral Leg Press #PLSULP, 9 EA, Collegiate Series Dumb-bell Bench #CS-PDBB, 1 EA, Pro Plate Load Shoulder Press #PLSP. The current equipment in use is severely outdated and many of the manufacturers are no longer in business. No other device/model carries the necessary specifications at this time, no other model can be accepted.

The estimated price for this requirement is \_\_\_\_\_

**4. Authority: For commercial supplies or services not exceeding \$150K, the citation is:**

FAR 13.106-1(b)(1): For purchases not exceeding the simplified acquisition threshold (SAT), contracting officers may solicit from one source if the contracting officer determines that the circumstances of the contract action deem only one source reasonably available (e.g. urgency, exclusive licensing agreements, brand name, or industrial mobilization).

**5. Reasons for Authority Cited:**

Based on the market research, Power-Lift is the only manufacturer for the requested items. Power-Lift has two distributors: Advantage Sport and Fitness and New England Fitness Distributor. Advantage Sport cannot sell their product in Kentucky because they have a geographical sales agreement among the manufacturer and other vendor. New England Fitness Distributor can only sell their product in the New England area. 5<sup>th</sup> SFG (A) THOR3 program currently utilizes Power-Lift equipment in its Tactical Human Optimization Rapid Rehabilitation and reconditioning (THOR3) program. This equipment has the highest return of investment due the functionality of the equipment to be utilized during the rehabilitation of injured Operators to continue to train non-injured sides and asymmetries as well as strength and conditioning effectively optimizing Human Performance. After extensive research and guidance from the current Human Performance Coordinator and Physical Therapist, the equipment listed in block 1 have been identified as meeting the requirements / criteria for optimizing Human Performance (HP), limiting attrition and gross manpower losses from accidental but has the requirement for Human Performance rehabilitation. The current equipment in use is severely outdated. No other device/model carries the necessary specifications and no other model can be accepted.

**6. Actions to Increase Competition:** N/A

**7. Market Research:** According to the market research, power-Lift is the only manufacturer for the requested items and they are not a GSA schedule vendor. Power-Lift has two distributors: Advantage Sport and Fitness and New England Fitness Distributor. Advantage Sport cannot sell their product in Kentucky because they have a geographical sales agreement among the manufacturer and other vendor. New England Fitness Distributor can only sell their product in the New England area. After extensive research and guidance from the current Human Performance Coordinator and Physical Therapist, the equipment listed in block 3 in this have been identified as meeting the requirements / criteria for optimizing Human Performance (HP), limiting attrition and gross manpower losses from accidental but has the requirement for Human Performance rehabilitation. No other device/model carries the necessary specifications and no other model can be accepted. Market research indicates there is not a reasonable expectation of obtaining offers from two or more offerers that are competitive in terms of market prices, quality, and delivery.

**8. Procurement History:**

Previous Purchase Order(s) or Contract(s):  Yes  No

If "Yes", for each purchase order or contract provide: H92239-10-P-0099

Purchase order or contract number:

Was action competed?  Yes  No

If action was not competed, state the cited authority, summarize rationale, and describe the actions that were supposed to be taken to increase competition and the results thereof: \_\_\_\_\_

**9. Additional Information to support the justification.**